



ELSEVIER

Linear Algebra and its Applications 289 (1999) 343-344

LINEAR ALGEBRA
AND ITS
APPLICATIONS

Author index to volume 289 (1999)

- Ahmed, S.E. and B. Ullah, Improved biased estimation in an ANOVA model 289 (1999) 3
- Arnold, B.F. and P. Stahlecker, Minimax adjustment technique and fuzzy information 289 (1999) 25
- Barry, R.P. and R.K. Pace, Monte Carlo estimates of the log determinant of large sparse matrices 289 (1999) 41
- Chipman, J.S., Linear restrictions, rank reduction, and biased estimation in linear regression 289 (1999) 55
- Davis, A.W., Spherical functions on the Grassmann manifold and generalized Jacobi polynomials - Part 1 289 (1999) 75
- Davis, A.W., Spherical functions on the Grassmann manifold and generalized Jacobi polynomials - Part 2 289 (1999) 95
- Farebrother, R.W., A class of statistical estimators related to principal components 289 (1999) 121
- Farebrother, R.W., S. Putanen, G.P.H. Styan and H.J. Werner, Preface 289 (1999) 1
- Groß, J., Solution to a rank equation 289 (1999) 127
- Groß, J., Explicit solutions to the matrix inverse problem $AX = B$ 289 (1999) 131
- Groß, J., Idempotency of the Hermitian part of a complex matrix 289 (1999) 135
- Groß, J., On the product of orthogonal projectors 289 (1999) 141
- Groß, J., A note on the rank-subtractivity ordering 289 (1999) 151
- Groß, J., J. Hauke and A. Markiewicz, Partial orderings, preorderings, and the polar decomposition of matrices 289 (1999) 161
- Groß, J., G. Trenkler and S.-O. Troschke, On semi-orthogonality and a special class of matrices 289 (1999) 169
- Hadi, A.S. and H. Nyquist, Frechet distance as a tool for diagnosing multivariate data 289 (1999) 183
- Harville, D.A., Use of the Gibbs sampler to invert large, possibly sparse, positive definite matrices 289 (1999) 203
- Hauke, J., *see* Groß, J. 289 (1999) 161
- Jammalamadaka, S.R. and D. Sengupta, Changes in the general linear model: A unified approach 289 (1999) 225
- Kovačec, A., The Marcus-de Oliveira conjecture, bilinear forms, and cones 289 (1999) 243
- Krijnen, W.P., A note on the parameter set for factor analysis models 289 (1999) 261
- Krijnen, W.P., *see* ten Berge, J.M.F. 289 (1999) 311
- Liski, E.P., *see* Wang, S.-G. 289 (1999) 333
- Liu, S., Matrix results on the Khatri-Rao and Tracy-Singh products 289 (1999) 267
- Markiewicz, A., Simultaneous polar decomposition of rectangular complex matrices 289 (1999) 279
- Markiewicz, A., *see* Groß, J. 289 (1999) 161
- Nummi, T., *see* Wang, S.-G. 289 (1999) 333
- Nyquist, H., *see* Hadi, A.S. 289 (1999) 183
- Pace, R.K., *see* Barry, R.P. 289 (1999) 41
- Putanen, S., *see* Farebrother, R.W. 289 (1999) 1
- Schaffrin, B., Softly unbiased estimation, Part 1: The Gauss-Markov model 289 (1999) 285

- Sengupta, D., *see* Jammalamadaka, S.R. 289 (1999) 225
- Shapiro, A., *see* ten Berge, J.M.F. 289 (1999) 311
- Stahlecker, P., *see* Arnold, B.F. 289 (1999) 25
- Styan, G.P.H., *see* Farebrother, R.W. 289 (1999) 1
- Symeonaki, M.A., *see* Vassiliou, P.-C.G. 289 (1999) 319
- Takane, Y. and H. Yanai, On oblique projectors 289 (1999) 297
- ten Berge, J.M.F., W.P. Krijnen, T. Wansbeek and A. Shapiro, Some new results on correlation-preserving factor scores prediction methods 289 (1999) 311
- Trenkler, G., *see* Groß, J. 289 (1999) 169
- Troschke, S.-O., *see* Groß, J. 289 (1999) 169
- Ullah, B., *see* Ahmed, S.E. 289 (1999) 3
- Vassiliou, P.-C.G. and M.A. Symeonaki, The perturbed nonhomogeneous Markov system 289 (1999) 319
- Wang, S.-G., E.P. Liski and T. Nummi, Two-way selection of covariables in multivariate growth curve models 289 (1999) 333
- Wansbeek, T., *see* ten Berge, J.M.F. 289 (1999) 311
- Werner, H.J., *see* Farebrother, R.W. 289 (1999) 1
- Yanai, H., *see* Takane, Y. 289 (1999) 297

